Applicant Initiated Interview Request Form					
Application No.: 10/797,773 First Named Applicant: Mark Ammar Rayes  Examiner: Shaifer Harriman, Dant B Art Unit: 2134 Status of Application: Non-Final Rejection					
Tentative Partici (1) Karl Rees		(2)		_	
(3)		(4)		_	
Proposed Date of Interview: June 30–July 3, July 9–11 Proposed Time: 11:00 AM-3:00 PM (AM/PM)					
Type of Interview (1) [x] Telephonic		Personal (3) [ ] Vid	eo Conference		
Exhibit To Be Sh If yes, provide br			[x] NO		
Issues To Be Discussed					
Issues (Rej., Obj., etc)	Claims/ Fig. #s	Prior Art	Discussed	Agreed	Not Agreed
(1) Rejection	14		[]	[]	[]
(2) Rejection	1	Thomsen/Renda	[]	[]	[]
(3)			[]	[]	[]
(4) [ ] Continuation	Sheet Attached		[]	[]	[]
Brief Description of Arguments to be Presented: Please see attached					
NOTE: This form s (see MPEP § 713.0 This application wi interview. Therefor as soon as possible.	should be comp 1). Il not be delaye re, applicant is	the above-identified app leted by applicant and subt d from issue because of app advised to file a statement of	nitted to the examir dicant's failure to s	er in advance o ıbmit a written	f the interview record of this
/KarlTRees#58983		iva Sianatura	Evo	minar/CDE Cian	estura
Applicant/Applicant's Representative Signature Examiner/SPE Signature  Karl Rees					
	lame of Applic	ant or Representative			
58923	on Number, if a				

SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## HICKMAN PALERMO TRUONG & BECKER LLP San Jose, California

## MEMORANDUM

DATE: June 26, 2008

TO: Examiner Shaifer Harriman; Tel. 571.272.7910; Fax. 571.27x.xxxx

FROM: Karl Rees; Tel. 408-414-1233; Fax 408-414-1076

SUBJECT: U.S. Patent Application No. 10/797,773 (Rayes, et al.) Attorney Docket No. 50325-0865

3rd Office Action (Non-Final)

## Proposed Agenda for Telephone Interview

- Request clarification on rejection of Claim 14
  - a. The Office Action does not clearly allege:
    - i. What aspect of the references is a "malicious act"
    - ii. What aspect of the references teaches "determining whether a malicious act caused the security event"
    - iii. What aspect of the references teaches "if a malicious act caused the security event, then providing information . . . to a security decision controller."
    - iv. What aspect of the references teaches "if a malicious act did not cause the security event, then removing the user from the elevated risk group."
- II. Request clarification regarding suggestion / motivation to combine the references
- III. Proposed Amendments to Claim 1
  - a. Option 1: see ¶¶ [0042]-[0043]
- (Previously presented) A method, comprising the computer-implemented steps of: in a security controller that is coupled, through a network, to a network device having a first network address assigned from a first subset of addresses within a first specified pool associated with normal network users:
  - determining a user identifier associated with the network device that has caused a security event in the network:
  - in response to the security event, causing the network device to acquire a new second network address that is selected from a second subset of addresses within a second specified pool associated with suspected malicious network users;
    - wherein causing the network device to acquire a new network address comprises causing the network device to request a new network address:
    - wherein the second subset of addresses is different from the first subset of addresses: and
  - configuring one or more security restrictions with respect to the new network address.

- b. Option 2: see \$\frac{4}{9}\$ [0003]-[0004]
- (Previously presented) A method, comprising the computer-implemented steps of: in a security controller that is coupled, through a network, to a network device having a first network address assigned from a first subset of addresses within a first specified pool associated with normal network users:
  - specified pool associated with normal network users: determining a user identifier associated with the network device that has caused a security event in the network;
    - wherein the security event is an event that indicates at least one of: a possible denial of service attack, possible IP address spoofing, extraneous requests for network addresses, and possible MAC address spoofine:
  - in response to the security event, causing the network device to acquire a new network address that is selected from a second subset of addresses within a second specified pool associated with suspected malicious network users; wherein the second subset of addresses is different from the first subset of addresses: and
  - configuring one or more security restrictions with respect to the new network address.